

# SAFETY DATA SHEET



1. Product and Company Identification

Product identifier Sani-Hands Instant Hand Sanitizing Wipes SDS 0098-00

Other means of identification

Recommended use

Recommended restrictions

Manufacturer

Not available

Antiseptic None known.

Professional Disposables International, Inc.

Two Nice-Pak Park, Orangeburg, NY 10962-1376

or Distributed By:

Professional Disposables International, LTD

Vaughan, Ontario L4L 4K9 Canada

Phone: (USA) 1-845-365-1700 (M-F 9am - 5pm)

Phone: (CANADA) 1-800-263-7067 Emergency Phone: 1-800-999-6423

2. Hazards Identification

Physical hazards

Flammable solids

Category 1

Health hazards

Serious eye damage/eye irritation

Category 2A

Environmental hazards OSHA defined hazards

Not determined None additional

Label elements



Signal word

Danger

Hazard statement

Flammable solid.

Causes serious eye irritation.

Precautionary statement

Prevention

Keep away from fire or flame.

Keep container closed.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell. In case of fire: Use appropriate media to extinguish.

Storage

Store in a well-ventilated place.

Keep container closed.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

Not applicable.

И	i	x	t	u	r	е
TI		^		и		•

Chemical name	Common name and synonyms	CAS number	%
Alcohol		64-17-5	40 - 70
Propylene glycol		57-55-6	1 - 5

Composition comments

The exact % concentration of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA HCS 1910.1200.

All concentrations are expressed as % weight.

### 4. First Aid Measures

Inhalation

If inhaled for a prolonged period of time, remove person to fresh air and keep comfortable for

Skin contact

Discontinue use if irritation and redness develop. If condition persists for more than 72 hours,

consult a physician.

Eye contact

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

If swallowed, get medical help or contact a Poison Control Center immediately.

Most important

symptoms/effects, acute and

delayed

Symptoms may include stinging, tearing, redness, swelling of the eyes, and blurred vision.

Direct contact with eyes may cause temporary irritation.

Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Indication of immediate medical attention and special

treatment needed General information Treat patient symptomatically.

If you feel unwell, seek medical advice (show the label where possible). Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes. Keep away from sources of ignition. No smoking. Keep out of reach of children.

# 5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Dry chemical. Carbon dioxide. Foam.

Do not use water jet.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus.

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Firefighters should wear full protective clothing including self contained breathing apparatus. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Hazardous combustion

products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact

Sensitivity to static

Not available.

Flammable solid.

discharge

Not available.

#### 6. Accidental Release Measures

Personal precautions. protective equipment and emergency procedures

Wear appropriate protective equipment and clothing during clean-up. Avoid contact with eyes. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering waterways. Contact emergency services and supplier for advice.

Large Spills: Following product recovery, flush area with water. Wipe or mop up liquid, if any, and dispose properly.

Environmental precautions

Do not discharge into waterways.

### 7. Handling and Storage

Precautions for safe handling

WARNING

Flammable, keep away from fire or flame.

Do not use in contact with eyes.

For external use only.

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight.

Avoid prolonged exposure. Keep container closed.

Use according to package label instructions

Conditions for safe storage, including any incompatibilities Store in a cool, dry place out of direct sunlight.

Store in a closed container away from incompatible materials.

Store in a well-ventilated place.

Keep away from heat, open flames or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS). Keep this out of reach of children unless under adult supervision.

### 8. Exposure Controls/Personal Protection

Occupat	ional	exposure	limits
---------	-------	----------	--------

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Value Type PEL 1900 mg/m3 Alcohol (CAS 64-17-5) 1000 ppm

US. ACGIH Threshold Limit Values

Components Value Type 1000 ppm Alcohol (CAS 64-17-5) STEL

US. NIOSH: Pocket Guide to Chemical Hazards

Value Components Type Alcohol (CAS 64-17-5) TWA 1900 mg/m3 1000 ppm

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Value Form Components Type Propylene glycol (CAS TWA 10 mg/m3 Aerosol. 57-55-6)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

See above

Appropriate engineering

controls

General ventilation normally adequate. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear gear as deemed necessary. Follow label directions.

Skin protection

Hand protection

Not required.

Other

As required by employer code. Follow label directions carefully.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Wear positive pressure self-contained breathing apparatus (SCBA).

Thermal hazards

Not applicable.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not smoke.

### 9. Physical and Chemical Properties

Liquid saturated on wipe Appearance

Solid. Physical state

Liquid saturated on wipe Form

Color Colorless Odor Alcohol Odor threshold Not available.

pН

Melting point/freezing point

Not available.

Initial boiling point and boiling Not available.

range

Pour point Not available.

Specific gravity Partition coefficient 0.883 (Liquid)

In antonally otan

Not available.

Flash point

71.6 °F (22.0 °C) Tag Closed Cup (Liquid)

Evaporation rate

Not available.

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Not applicable.

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Solubility(ies) Auto-ignition temperature Not available.

Decomposition temperature

Not available. Not available.

Viscosity

Not available.

Other information

Flash point class

Combustible II

## 10. Stability and Reactivity

Reactivity

This product may react with strong oxidizing agents.

reactions

Possibility of hazardous

Hazardous polymerization does not occur.

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

Do not mix with other chemicals. Avoid heat, sparks, open flames and other ignition sources.

Incompatible materials

Strong oxidizing agents. Oxidizers.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

## 11. Toxicological information

Routes of exposure

Inhalation. Ingestion. Skin contact. Eye contact.

Information on likely routes of exposure

Ingestion

Expected to be a low ingestion hazard.

Inhalation

Prolonged inhalation may be harmful. May cause irritation to the respiratory system. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Skin contact

Non-irritating based on test data.

Eye contact

May be irritating to eyes.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling of the eyes, and blurred vision. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Information on toxicological effects

Acute toxicity

Narcotic effects. May cause respiratory irritation.

Toxicity data in this section is based on individual component information and not based on the

finished product.

Components

**Species** 

Test Results

Alcohol (CAS 64-17-5)

Acute

Demal

LD50

Not available

Inhalation

LC50

Mouse

39 mg/l, 4 Hours

Rat

31623 ppm, 4 Hours

20000 ppm, 10 Hours

Components	Species	Test Results		
Oral				
LD50	Dog 5500 mg/kg			
	Guinea pìg	5600 mg/kg		
	Mouse	3450 mg/kg		
•	Rat	7060 mg/kg		
Propylene glycol (CAS 57-55-6) Acute				
Dermal				
LD50	Rabbit	20800 mg/kg		
<i>Inhalation</i> LC50	Not available			
Oral				
LD50	Dog	19000 mg/kg		
	Guinea pig	184000 mg/kg		
	Mouse	23900 mg/kg		
	Rabbit	14800 mg/kg		
	Rat	20000 mg/kg		
Skin corrosion/irritation	Non-irritating based on test data.			
Exposure minutes	Not available.			
Erythema value	Not available.			
Oedema value	Not available.			
Serious eye damage/eye irritation	May cause irritation.			
Corneal opacity value	Not available.			
Iris lesion value	Not available.			
Conjunctival reddening value				
Conjunctival oedema value	Not available.			
Recover days	Not available.			
Respiratory or skin sensitization	ı			
Respiratory sensitization	Not classified.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	The finished product is not expected			
Mutagenicity	The finished product is not expected			
Carcinogenicity	The finished product is not expected to have chronic health effects.  The finished product is not expected to have chronic health effects.			
Reproductive toxicity Teratogenicity	The finished product is not expected to have chronic health effects.			
Specific target organ toxicity - single exposure	Not classified.	u to flave offortic fleatiff effects.		
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not classified.			
Chronic effects	The finished product is not expecte	d to have chronic health effects.		
Further information	Not available.			
Name of Toxicologically Synergistic Products	Name of Toxicologically Not available.			
	12. Ecological In	formation		
Ecotoxicity	See below			
Components	Species	Test Results		
Alaskal (OAO OA 47 5)				

OUTORIOICY	000 00101	'*	i e
Components		Species	Test Results
Alcohol (CAS 64-17-5)			
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours

Components **Species Test Results** Aquatic

Crustacea EC50 Water flea (Daphnia magna) 7.7 - 11.2 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

Propylene glycol (CAS 57-55-6)

Crustacea EC50 Daphnia 10000 mg/L, 48 Hours

Aquatic

Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available. Mobility in general Not available. Other adverse effects Not available.

13. Disposal Considerations

Disposal instructions Review federal, state/provincial, and local government requirements prior to disposal.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations See above

Hazardous waste code Not assigned.

Waste from residues / unused

Empty containers may retain some product residues. This material and its container must be products disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

**UN number** 

Proper shipping name Solids containing flammable liquid, n.o.s. (Alcohol)

Hazard class 4.1 Packing group

Packaging exceptions <1kg - limited quantity (par. 173.151)

Note: Individually wrapped packet product is exempted from DOT regulation per Special Provision 47.

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:


**UN number** 

Proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Alcohol)

Hazard class 4.1 Packing group

Packaging exceptions <1Kg-Limited Quantity

DOT: TDG



# 15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

41--1--1 (040 04 47 5)

Canada WHMIS Ingredient Disclosure: Threshold limits

Alcohol (CAS 64-17-5) Propylene glycol (CAS 57-55-6) 0.1 % 1 %

WHMIS classification

Exempt - Notified cosmetic under the Food & Drugs Act

US federal regulations

This product contains a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

US CAA Section 111 Volatile Organic Compounds: Listed substance

Alcohol (CAS 64-17-5)

Propylene glycol (CAS 57-55-6)

Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

No

hazardous substance SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Regulated as a monograph drug product.

Administration (FDA)

US state regulations

See below

US - California Hazardous Substances (Director's): Listed substance

Alcohol (CAS 64-17-5)

Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

US - Illinois Chemical Safety Act: Listed substance

Alcohol (CAS 64-17-5)

Listed.

US - Louisiana Spill Reporting: Listed substance

Alcohol (CAS 64-17-5)

Listed.

US - Minnesota Haz Subs: Listed substance

Alcohol (CAS 64-17-5)

Listed.

Propylene glycol (CAS 57-55-6) Listed.

US - New Jersey RTK - Substances: Listed substance

Alcohol (CAS 64-17-5) Listed. Propylene glycol (CAS 57-55-6) Listed.

US - Texas Effects Screening Levels: Listed substance

Alcohol (CAS 64-17-5) Listed. Propviene glycol (CAS 57-55-6) Listed.

US. Massachusetts RTK - Substance List

Propylene glycol (CAS 57-55-6)

Alcohol (CAS 64-17-5)

Alcohol (CAS 64-17-5)

Listed.

US. Pennsylvania RTK - Hazardous Substances

Listed. Listed.

US. Rhode Island RTK

Not regulated.

#### Inventory status

Country(s) or region

Inventory name

Domestic Substances List (DSL)

Canada Canada

Non-Domestic Substances List (NDSL)

Yes No

On inventory (yes/no)\*

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory


Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

### 16. Other Information

LEGEND	Alba-
Severe Serious Moderate	4 3
Slight Minimal	2 1 0





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained

in this document.

Issue date

01-April-2015

Effective date

01-September-2014

**Expiry date** 

01-September-2017

Further information

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the

first page of the document.

Revision 1.

Hazard categorization updated. Ingredient ranges used and revised in Section 3. Transportation

information updated.

Based on bulk liquid # 40P72301.

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.