

Zep Inc. 1310 Seaboard Industrial Blvd. Atlanta, GA 30318 1-877-I-BUY-ZEP (428-9937)

Material Safety Data Sheet

and Safe Handling and Disposal Information

Product nan	ne ZEP RED	I-GREASE
Product use	Multi-Purpos	se Spray Lubricant
Product cod	le 0115	
Date of issu	e 12/29/04	Supersedes 02/13/04
Emergency Telephone Numbers	For MSDS Information Compliance Services 1-	on: -877-I-BUY-ZEP (428-9937)
	For Medical Emergen INFOTRAC: (877) 54 Recorded	cy 1-2016 Toll Free - All Calls

For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded In the District of Columbia (202) 483-7616

HMIS

Prepared By

Compliance Services 1420 Seaboard Industrial Blvd. Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of hazardous ingredients	CAS #	% by Weight	Exposure Limits
HEPTANE; n-heptane	142-82-5	20 - 30	ACGIH/OSHA (United States). TWA: 400 ppm 8 hour(s). ACGIH/OSHA (United States). STEL: 500 ppm 15 minute(s).
ALUMINUM COMPLEX GREASE	Proprietary	35 - 45	Supplier Suggested (United States). TWA: 5 mg/m ³ 8 hour(s). Form: Mist STEL: 10 mg/m ³ 15 minute(s).
HYDROTREATED LIGHT PETROLEUM DISTILLATES; paraffinic, naphthenic solvent	64742-47-8	5 - 10	Supplier Suggested (United States). TWA: 100 ppm 8 hour(s).
TIRCRESYL PHOSPHATE	1330-78-5	<5	Not established
HYDROCARBON PROPELLANT; blend of propane, isobutane & n-	75-28-5; 74-98-	20 - 30	ACGIH TLV / OSHA PEL (United States).
butane	6; 106-97-8		Notes: Propane TWA: 1000 ppm 8 hour(s). OSHA PEL / ACGIH TLV (United States). Notes: n-Butane TWA: 800 ppm 8 hour(s).

Section 3. Hazards Identification

Printing date: 06/23/08

Acute Effec	ts Routes of Entry Dermal contact. Inhalation.	Health	1
Skin	Hazardous by the following route of exposure: of skin contact (irritant, permeator). Direct contact may cause irritation and redness. Skin inflammation is characterized by itching, scaling, reddening or, occasionally, blistering. Product may be dermal absorbed. Defatting properties, may aggravate an existing dermatitis.	Fire Hazard Reactivity	<u>4</u> 0
Eyes	Hazardous by the following route of exposure: of eye contact (irritant). Inflammation of the eye is characterized by redness, watering and itching.	e Personal Protection	B
Inhalation	Hazardous by the following route of exposure: of inhalation (lung irritant). Avoid breathin vapors, spray or mists. Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous system depression. Symptoms and signs include headache, dizziness fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.	-	
Ingestion	Harmful if swallowed. Aspiration hazard if swallowed. Can enter lungs and cause damage. Vomiting increases risk of chemical pneumonia.		
	S data pertains to the product as delivered in the original shipping container(s). Risk of adverse he prescribed safety precautions, including use of proper personal protective equipment.	alth effects are lessened	by
Carcinoger	ic Effects Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.		
Chronic Ef	fects Prolonged skin contact may cause dermatitis with drying and cracking of sl inhalation or absorption can cause central nervous system depression. Rep	1 2	o ure

inhalation or absorption can cause central nervous system depression. Repeated or prolonged exposure to the substance can produce damage to the nervous system, the reproductive system, brain, peripheral nervous system, central nervous system (CNS).

See Toxicological Information (section 11)

Product code 0115	Material Safety Data Sheet	Product Name ZEP REDI-GREASE
Section 4. First Ai	d Measures	
Eye Contact	Check for and remove any contact lenses. In case	of contact, immediately flush eyes with plenty of water
Skin Contact		nty of water. Remove contaminated clothing and shoes.
Inhalation	Wash clothing before reuse. Get medical attention If inhaled, remove to fresh air. If not breathing, gi oxygen. Get medical attention.	ve artificial respiration. If breathing is difficult, give
Ingestion	Aspiration hazard if swallowed. Can enter lungs an	nd cause damage. Do not induce vomiting unless directed s, keep head lower than hips to help prevent aspiration. Derson. Get medical attention immediately.
Section 5. Fire Fig	hting Measures	
Flash Point	Closed cup: <-18°C (<0°F) Flammable (Tagliabue.)	Limits Lower: 1.2% Upper: 6.7%
Flammability	Extremely flammable. (CSMA) Aerosol that may fla	
Fire hazard	FLAMMABLE LIQUID AND VAPOR. Vapor may or confined areas or travel a considerable distance to Container explosion may occur under fire condition	a source of ignition and flash back.
Fire-fighting proc	positive pressure, self-contained	oam. Wear special protective clothing and l breathing apparatus. Cool containers with ssure build-up, auto-ignition or explosion.
Section 6. Accider	ntal Release Measures	*
Spill Clean up	Large spills are unlikely due to packaging.	
Section 7. Handlin	g and Storage	
sourvent	ilation. Watch for accumulation in low confined areas.	r from heat, sparks, open flame or any other ignition breathing vapors, spray or mists. Use only with adequate Wash thoroughly after handling. Wash contaminated
	ning before reusing.	
Keep	p away from heat and direct sunlight. Keep container i wing temperature: 49°C (120.2°F). Do not puncture o	
-	re Controls, Personal Protection Personal Protection	Protective Clothing (Pictograms)
	glasses with side shields.	
•	ical-resistant gloves. (Viton, Neoprene, Nitrile)	
concer	ith adequate ventilation. Provide exhaust ventilation on trations of vapors below their respective threshold lim quate. Approved/certified respirator with organic vapo	nit value. Wear appropriate respirator when ventilation is
Section 9. Physica	al and Chemical Properties	
	Liquid. (Aerosol.)	Color Clear.
•	Not applicable.	Odor Solvent-like.
•	56.1°C (151°F)	Vapor Pressure Not determined.
· · · · · · · · · · · · · · · · · · ·	nsoluble in the following materials: cold water, hot vater.	Vapor Density Not determined. Evaporation Rate >1 compared with Butyl acetate. VOC (Consumer) 49.9% 3.33 (lb/gal) 399.2 (g/l)
Soction 10 Stabili	ty and Poactivity	
Section 10. Stabili Stability and Read		
Incompatibility	Avoid contact with strong oxidizers, exce	ssive heat, sparks or open flame.
Hazardous Polym		
	logical Information	-
Toxicity to Anima	Aluminum Complex Grease:^[25,45,50,' ORAL (LD50): Acute: >5000 mg/kg [I DERMAL (LD50): Acute: >3160 mg/k Hydrotreated Light Petroleum Distillate	Rat]. sg [Rabbit].
	ORAL (LD50): Acute: >5000 mg/kg [I DERMAL (LD50): Acute: >2000 mg/k Tricresyl Phosphate:^[25,45,50,70	Rat].
	ORAL (LD50): Acute: >5000 mg/kg [] DERMAL (LD50): Acute: >10000 mg/	

	Material Safety Data Sheet	Product Name ZEP REDI-GREASE
Section 12. Ecological In	formation	
Ecotoxicity	Not available.	
Biodegradable/OECD	Not available.	
Section 13. Disposal Co	nsiderations	
		ste Stream Code: D001
Information state and	local environmental control regulations.	Classification: - (Hazardous waste.)
Consult your local or region	nal authorities	Origin: - (RCRA waste.)
Section 14. Transport Inf Proper shipping name	Consumer commodity	
DOT Classification	ORM-D	UN number Not regulated.
	• • • • • •	e
NOTE: DOT classification app the Bill of Lading with your sh	lies to most package sizes. For specific container size	classifications or for size exceptions, refer to
TDG Classification	3	
Section 15. Regulatory Ir	nformation	
	nformation	ease reporting:
Section 15. Regulatory Ir	s SARA 313 toxic chemical notification and relevant	
Section 15. Regulatory Ir	 SARA 313 toxic chemical notification and relevant No products were found. 	re found.
Section 15. Regulatory Ir	 SARA 313 toxic chemical notification and relevant No products were found. Clean Water Act (CWA) 311: No products were 	re found. stances: No products were found.
Section 15. Regulatory Ir	 SARA 313 toxic chemical notification and relevant No products were found. Clean Water Act (CWA) 311: No products were Clean Air Act (CAA) 112 regulated toxic substantiation of this product are listed or explanation. 	re found. stances: No products were found. kempt from listing on TSCA inventory.
Section 15. Regulatory In U.S. Federal Regulations	 SARA 313 toxic chemical notification and relevant No products were found. Clean Water Act (CWA) 311: No products were Clean Air Act (CAA) 112 regulated toxic substantiation of this product are listed or exwards and the product contains a chemical wards and the product contains a chemical contains a	re found. stances: No products were found. kempt from listing on TSCA inventory.
Section 15. Regulatory Ir U.S. Federal Regulations	 SARA 313 toxic chemical notification and releving No products were found. Clean Water Act (CWA) 311: No products were Clean Air Act (CAA) 112 regulated toxic substant All Components of this product are listed or existence with the substant of the product contains a chemical cause cancer, birth defects or other reproductive 	re found. stances: No products were found. kempt from listing on TSCA inventory. l or chemicals known to the state of California to ye harm.: Toluene

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.