OUTPOST 1 SPEEDBALL HEAVY DUTY SPRAY CLEANER CONCENTRATE

1 SPEEDBALL Heavy Duty Spray Cleaner Concentrate MSDS Ref. No: 4044
Date Prepared: 06/25/2003
Date Revised: 06/25/2003

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME/USE: 1 SPEEDBALL Heavy Duty Spray Cleaner Concentrate

Product Synonyms: Command Center 1 SPEEDBALL Heavy Duty
Spray Cleaner Concentrate; Outpost 1 SPEEDBALL Heavy Duty
Spray Cleaner Concentrate; Command Center HEAVY DUTY
SPRAY CLEANER Concentrate 1

PRODUCT CODE: 4044150, 4044020
MANUFACTURER: The Butcher Company
8310 16th St.

Sturtevant, WI 53177-0902

Butcher Telephone Number: 800-225-9475 Emergency Telephone (24 hours): 800-228-5635

CHEMTREC (U.S./Can.): 800-424-9300 CHEMTREC (Int'1): +1 703-527-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS#	% BY WEIGHT	
2-Butoxyethanol	111-76-2	25 - 40	
Ethanolamine	141-43-5	10 - 25	
Sodium xylene sulfonate	1300-72-7	5 - 7	
Nonyl phenol ethoxylate	9016-45-9	5 - 7	
Tetrasodium ethylenediamine	64-02-8	1 - 1.5	
tetraacetate			
Sodium hydroxide	1310-73-2	0.25 - 1.0	

See Section 8 for Exposure Limits

NA - Not Applicable

OSHA REGULATORY STATUS: This product is classified as hazardous under OSHA regulations.

WHMIS CLASS: Class D- Division 2B

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Clear, Purple Liquid. Fresh Odor. May Cause Eye Burns and Skin Irritation. Harmful if Swallowed.

POTENTIAL HEALTH EFFECTS (See Section 11 for Toxicological Information)

PRIMARY ROUTE(s) OF EXPOSURE:

Eye: X

Skin Contact: X

Skin Absorption: X
Inhalation: X

Ingestion: X

EFFECTS OF ACUTE EXPOSURE

EYES: May cause eye burns. Symptoms may include pain, tearing, redness, swelling, and eye injury.

SKIN: May cause skin irritation. Symptoms may include redness, rash and mild swelling. May be absorbed through the skin and may cause effects as described under Inhalation (see below).

INHALATION: High concentrations of vapor or mist may cause nose, throat and respiratory tract irritation. Symptoms may include coughing, a burning sensation in the nose and throat, and disagreeable metallic taste. May also cause central nervous system effects including headache, dizziness and nausea.

INGESTION: Harmful if swallowed. May cause mouth, throat and stomach burns. Symptoms may include nausea, vomiting, diarrhea, and severe stomach pain. May also cause central nervous system effects including headache, dizziness and weakness.

EFFECTS OF CHRONIC EXPOSURE: Prolonged or repeated contact can cause defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

MEDICAL CONDITIONS AGGRAVATED: May aggravate pre-existing eye, skin and respiratory conditions.

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water while holding eyelids apart. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not put any medication in the victim's eyes unless instructed by a physician. Get immediate medical attention.

SKIN: Flush thoroughly with plenty of water, then wash with soap and water. Remove saturated clothing. Get medical attention if irritation develops or persists. Thoroughly wash (or discard) clothing and shoes before reuse.

INHALATION: Remove to fresh air. If not breathing, give respiration; if breathing is difficult, give oxygen (by trained personnel only). Get medical attention if symptoms persist.

INGESTION: Do not induce vomiting. Drink large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: > 93 deg C (200 deg F)TCC FLAMMABLE LIMITS: Not applicable.

AUTOIGNITION TEMPERATURE: Not applicable.

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS: Normal products of combustion (carbon monoxide and carbon dioxide), nitrogen oxides and sulfur oxides.

FIRE AND EXPLOSION HAZARDS: None known.

FIRE FIGHTING INSTRUCTIONS: This product is not flammable. As in any fire, MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear should be worn.

6. ACCIDENTAL RELEASE MEASURES

See Section 8, Exposure Controls/Personal Protection and Section 3, Hazard Identification. Floors may be slippery. Use care to avoid falling. Ventilate spill area. Contain and isolate spill. Keep non-essential personnel from entering spill area. Use mop and absorbent to collect material for proper disposal. Rinse area with water.

7. HANDLING AND STORAGE

HANDLING: Follow label use directions. Do not mix with other chemicals unless instructed by label directions. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Remove contaminated clothing. Wash clothing and equipment before reuse.

STORAGE: Keep container closed when not in use. Store away from incompatible materials. (See Section 10, Stability and Reactivity).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

EYE: Where eye contact is possible, wear chemical splash goggles (ANSI Z87.1-approved).

SKIN: Where skin contact is possible, chemical-resistant clothing (e.g., gloves) should be worn.

OUTPOST 1 SPEEDBALL HEAVY DUTY SPRAY CLEANER CONCENTRATE

RESPIRATORY: No respiratory protection is required if general room ventilation is adequate and airborne concentrations are kept below exposure limits. When exposure limits are exceeded, use appropriate respiratory protection (NIOSH/MSHA) to prevent overexposure.

ENGINEERING CONTROLS: Good general room ventilation is expected to be adequate. If user operations generate vapor or mist, ventilation should be used to keep airborne concentrations below exposure limits.

EXPOSURE LIMITS:

INGREDIENT(S)	OSHA PEL/STEL	ACGIH TLV/STEL
2-Butoxyethanol	25 ppm 120 mg/m3 / Skin	25 ppm 121 mg/m3 / Skin
Ethanolamine	3 ppm 8 mg/m3 / 6 ppm 15 mg/m3	3 ppm 7.5 mg/m3 / 6 ppm 15 mg/m3
Sodium xylene sulfonate	NA	NA
Nonyl phenol ethoxylate	NA	NA
Tetrasodium ethylenediamine tetraacetate	NA	NA
Sodium hydroxide	2 mg/m3 / Ceiling	2 mg/m3 / Ceiling

NA - Not Available

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Fresh

APPEARANCE: Clear, Purple

pH: 12.9 to 13.8

PERCENT VOLATILE BY WEIGHT: 90 VAPOR PRESSURE: Not Available VAPOR DENSITY: Not Available BOILING POINT: Not Available

FREEZING/MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete EVAPORATION RATE: Not Available SPECIFIC GRAVITY: 1.01

VISCOSITY: 8.5cps

OCTANOL/WATER PARTITION COEFFICIENT: Not Available

ODOR THRESHOLD: Not Available

10. STABILITY AND REACTIVITY

STABILITY (CONDITIONS TO AVOID): Stable.

POLYMERIZATION: Will not occur. HAZARDOUS DECOMPOSITION: None known.

INCOMPATIBLE MATERIALS: Strong acids (e.g., hydrochloric), oxidizers (e.g., bleach) and sodium nitrite.

11. TOXICOLOGICAL INFORMATION ______

ACTITE DATA:

This product causes moderate skin irritation and may cause severe eye irritation or burns. Based on acute toxicity testing, this product may be harmful if swallowed. It is not considered to be toxic by skin absorption or inhalation. Acute exposure to 2-butoxyethanol may cause blood, liver and kidney effects. The following data are available for this product and its ingredients:

PRODUCT/ INGREDIENT	ORAL LD50 (rat)	DERMAL LD50 (rabbit)	
1 SPEEDBALL Heavy Duty Spray Cleaner Concentrate	>500-5000		
2-Butoxyethanol	470 - mg/kg	220 - mg/kg	450 - ppm (4-hr)
Ethanolamine	1720 - mg/kg	1018 - mg/kg	Not Available
Sodium xylene sulfonate	650 - 4000 mg/kg	3000 - mg/kg	Not Available
Nonyl phenol ethoxylate	2000 - 5000 mg/kg	1000 - 3000 mg/kg	
Tetrasodium ethylenediamine tetraacetate	3030 - mg/kg	>5000 - mg/kg	Not Available
Sodium hydroxide	Not Available	1350 - mg/kg	Not Available

SENSITIZATION DATA: No data available.

CHRONIC DATA: Prolonged overexposure to high concentrations of ethanolamine by inhalation and ingestion has caused liver and kidney effects in laboratory animals. Prolonged overexposure to high concentrations of 2-butoxyethanol by skin absorption, ingestion and inhalation has caused blood, liver and kidney effects in laboratory animals. REPRODUCTIVE/TERATOGENIC DATA: No data available.

CARCINOGENIC/MUTAGENIC DATA: Not listed as carcinogenic by NTP, IARC, or ACGIH or regulated as a carcinogen by OSHA. SYNERGISTIC MATERIALS: No data available.

______ 12. ECOLOGICAL INFORMATION

This product is made with all biodegradable detergents. No

other data available. ______

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, state or provincial and federal regulations. The unused product, as manufactured, is a RCRA hazardous waste (Corrosive-D002) in accordance with 40 CFR 261. The product has not been evaluated by the Toxicity Characteristic Leachate Procedure (TCLP). According to RCRA, it is the responsibility of the waste generator to ensure proper disposal.

______ 14. TRANSPORT INFORMATION

DOT/TDG HAZARDOUS MATERIAL DESCRIPTION: Not regulated

15. REGULATORY INFORMATION

Not meant to be all-inclusive - selected regulations represented.

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION

- 311/312 HAZARD CATEGORIES: Under 40 CFR 370.2. this product meets the following hazard categories: Immediate, Delayed.
- 313 REPORTABLE INGREDIENTS: 2-Butoxyethanol is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 under the chemical category Glycol Ethers.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Not reportable under CERCLA.

OUTPOST 1 SPEEDBALL HEAVY DUTY SPRAY CLEANER CONCENTRATE

TSCA (TOXIC SUBSTANCE CONTROL ACT)
TSCA STATUS: This product complies with all TSCA inventory requirements.

USDA (U.S. DEPARTMENT OF AGRICULTURE): This product is authorized for use in federally inspected meat and poultry plants.

MASSACHUSETTS, NEW JERSEY, PENNSYLVANIA RIGHT-TO-KNOW:

INGREDIENT(S)	CAS NO.	STATE LISTING
Water	7732-18-5	Not Listed
2-Butoxyethanol	111-76-2	MA, NJ, PA
Ethanolamine	141-43-5	MA, NJ, PA
Sodium xylene sulfonate	1300-72-7	Not Listed
Nonyl phenol ethoxylate	9016-45-9	Not Listed

NA - Not Applicable

STATE REGULATIONS: Sodium Hydroxide is listed on the Massachusetts Right-to-Know Substance List, New Jersey Right-to-Know Hazardous Substance List, and the Pennsylvania Hazardous Substance List.

CANADA

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):
Class D-Division 2B, eye and skin irritant; Class DDivision 2B, chronic toxic effects. This product has
been classified in accordance with the hazard criteria
of the Canadian Controlled Products Regulations (CPR)
and the MSDS contains all the information required by
the CPR

16. OTHER INFORMATION

HMIS RATING
HEALTH: * 3
FLAMMABILITY: 0
REACTIVITY: 0
PERSONAL PROTECTION: NFPA CODES:
HEALTH: 2

HEALTH: 2
FIRE: 0
REACTIVITY: 0
SPECIAL: -

APPROVED BY: EH&S/Regulatory Affairs

MSDS STATUS

Revision No: 3
Revision #: 3

This MSDS replaces the October 19, 2000 MSDS. Any changes in information are as follows:

In Section 1: Date Prepared APPROVAL DATE: 06/25/2003

The information on this data sheet represents our current data and best opinion as to the proper use in handling of the product under normal foreseeable conditions. Any use of this product which is not in conformance with this data sheet or product label, or which involves using the product in combination with any other product or any other process is the responsibility of the user.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES: Although preparer and owner have taken reasonable care in the preparation of this document, we extend no warranties and make no representation as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each user should make a determination as to the suitability of the information for their particular purpose(s). This MSDS is the most recent received from the product manufacturer or distributor.

COMPAS Code: 49200330