# **MATERIAL SAFETY DATA SHEET**

1. Product and Company Identification

Product number 232

Product name SPRAY SHINE FURNITURE POLISH WITH LEMON OIL

Effective date 13-Nov-2007

Company information CSI PRODUCTS, INC.

ADDISON, IL 60101 United States

**Company phone** General Assistance 1-630-543-7600

Emergency telephone US 1-866-836-8855 Emergency telephone outside US 1-952-852-4646 Supersedes date 13-Jun-2007

#### 2. Hazards Identification

Emergency overview CONTENTS UNDER PRESSURE.

Aerosol. Pressurized container may explode when exposed to heat or flame.

Prolonged exposure may cause chronic effects.

OSHA regulatory status This product is considered hazardous under 29 CFR 1910.1200 (Hazard

Communication).

Potential health effects

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

**Ingestion** Exposure by ingestion of an aerosol is unlikely.

Target organs Central nervous system.

Chronic effects May cause central nervous system disorder (e.g., narcosis involving a loss of

coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage.

Signs and symptoms Narcosis.

#### 3. Composition / Information on Ingredients

Components	CAS#	Percent
Paraffinic, Naphthenic Solvent	64742-47-8	15 - 20
n-Butane	106-97-8	10 - 15
Propane	74-98-6	3 - 5
Non-hazardous and other components below reportable levels		60 - 80

#### 4. First Aid Measures

First aid procedures

Inhalation

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Get medical attention if irritation develops or persists.

**Skin contact**Immediately flush skin with plenty of water. Remove and isolate contaminated clothing and shoes. Get medical attention if irritation develops or persists. For minor skin contact,

avoid spreading material on unaffected skin. Wash clothing separately before reuse.

Manual Special Control of the Contro

Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket

mask equipped with a one-way valve or other proper respiratory medical device. Call a

physician if symptoms develop or persist.

Ingestion Have victim rinse mouth thoroughly with water. Get medical attention immediately. Do not

induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

**Notes to physician** Symptoms may be delayed.

General advice If you feel unwell, seek medical advice (show the label where possible).

## 5. Fire Fighting Measures

Flammable properties Containers may explode when heated. Vapor or gas may spread to distant ignition

sources and flash back.

**Extinguishing media** 

Suitable extinguishing media

Unsuitable extinguishing media Do

Foam. Dry chemical. Carbon dioxide (CO2).

Do not use a solid water stream as it may scatter and spread fire.

**Protection of firefighters** 

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Protective equipment and precautions for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor

nozzles; if this is impossible, withdraw from area and let fire burn.

**Specific hazards** Fire may produce irritating, corrosive and/or toxic gases.

#### 6. Accidental Release Measures

Personal precautions Ensure adequate ventilation. Do not touch damaged containers or spilled material unless

wearing appropriate protective clothing. Ventilate closed spaces before entering. Keep

unnecessary personnel away.

**Methods for containment** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the

leak is irreparable.

Methods for cleaning up Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated

surface thoroughly.

# 7. Handling and Storage

Handling Pressurized container: Do not pierce or burn, even after use. Do not handle or store near

an open flame, heat or other sources of ignition. Use only in area provided with

appropriate exhaust ventilation. Do not use if spray button is missing or defective. Avoid

prolonged exposure.

Storage Level 1 Aerosol.

CAS#

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep the container dry. Keep in an area equipped with sprinklers. Keep out of the reach of children.

**STEL** 

Ceiling

#### 8. Exposure Controls / Personal Protection

#### **Exposure limits**

Components

-				
n-Butane	106-97-8	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
OSHA				
Components	CAS#	TWA	STEL	Ceiling
Propane	74-98-6	1000 ppm	Not established	Not established

**TWA** 

**Engineering controls** 

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye / face protection

Wear chemical goggles.

Skin protection

Protective gloves. Wear chemical protective equipment that is specifically recommended

by the manufacturer.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygeine considerations

When using do not smoke. Handle in accordance with good industrial hygiene and safety

practice.

# 9. Physical & Chemical Properties

**Appearance** Compressed liquefied gas.

ColorWhite.OdorAromatic.Physical stateLiquid.FormAerosol.

Flammability (HOC) 10.0345 kJ/g estimated

Flash back No

**Pressure** 54 - 64 psig @ 70F

**Solubility** Partially

Flash point -156 °F (-104.4 °C) estimated Boiling point 210.2 °F (98.9 °C) estimated

Specific gravity 0.8654 estimated

**pH** 7 - 8

## 10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition. Stable at normal conditions.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition products May include oxides of nitrogen.

# 11. Toxicological Information

Acute effects Acute LD50: 28728 mg/kg estimated, Rat, Oral

Acute LD50: 11765 mg/kg estimated, Rat, Dermal Acute LC50: 29 mg/l/4h estimated, Rat, Inhalation Not expected to be hazardous by OSHA criteria.

**Sensitization** Not expected to be hazardous by OSHA criteria.

Chronic effects Hazardous by OSHA criteria. Repeated absorption may cause disorder of central nervous

system, liver, kidneys and blood. Prolonged exposure may cause chronic effects.

**Neurological effects** Hazardous by OSHA criteria.

MutagenicityNot expected to be hazardous by OSHA criteria.Reproductive effectsNot expected to be hazardous by OSHA criteria.TeratogenicityNot expected to be hazardous by OSHA criteria.

**Further information** Symptoms may be delayed.

#### 12. Ecological Information

**Ecotoxicity** LC50 264 mg/L estimated, Fish, 96.00 Hours,

Components of this product have been identified as having potential environmental

concerns.

# 13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

**Disposal instructions**Consult authorities before disposal. Contents under pressure. Incinerate the material

under controlled conditions in an approved incinerator. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001.

Dispose in accordance with all applicable regulations.

#### 14. Transport Information

# Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name Consumer commodity

Hazard class ORM-D Subsidiary hazard class None

Additional information:

Packaging exceptions 156, 306
Packaging non bulk 156, 306
Packaging bulk None

#### **IMDG**

Basic shipping requirements:

Proper shipping name AEROSOLS, flammable

Hazard class 2.1 UN number 1950

Additional information:

Packaging exceptions LTD QTY

Item5FLabels required2.1Transport Category2

**IATA** 

**Basic shipping requirements:** 

Proper shipping name Aerosols, flammable

Hazard class2.1UN number1950

Additional information:

Packaging exceptions LTD QTY





# 15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

Yes

**CERCLA (Superfund) reportable quantity** 

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely hazardous substance

No

Section 311 hazardous chemical Yes

**Inventory status** 

Country(s) or region Inventory name On inventory (yes/no)\*

China Inventory of Existing Chemical Substances in China (IECSC) No Europe European Inventory of New and Existing Chemicals (EINECS) Yes European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

 n-Butane
 106-97-8
 Present

 Propane
 74-98-6
 Present

#### 16. Other Information

**HMIS**® ratings Health: 0

Flammability: 2 Physical hazard: 0

Material name: SPRAY SHINE FURNITURE POLISH WITH LEMON OIL
Material ID: 780 Revision date: 13-NOV-2007 Print date: 13-NOV-2007

MSDS US

Prepared by Disclaimer **Regulatory Compliance** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication, The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

Issue date

in the text. 13-Nov-2007